2024/03/30 09:47 1/3 JIP/KAAS Connector

JIP/KAAS Connector

This connector can be used to connect to Czech POINT system. Communication is via API which is provided by the end system.

Configuration

Connector has few settings which need to be configured before you used it.

Host

You want to use one of these url. Test - https://www.test.czechpoint.cz/spravadat/ws/

Production - https://www.czechpoint.cz/spravadat/ws/

Username

Username for account which will be used for communication with the end system.

Password

Password for account

Subject

Shortcut of subject

Type of objectClass

There are two types of object which are supported in current version of connector. __ACCOUNT__ for users and __GROUP__ for roles If you want connect both types make two systems in IdM, with different configuration.

Scheme generation

Schema generation is supported by connector. It will generate these schemas:

ACCOUNT

	Název atributu 💠	Datový typ ‡	Je povinný 🗘	Obsahuje více hodnot
(Q	alsRole	java.lang.String		€
□ Q	cinnostniRole	java.lang.String	0	8
□ Q	czpAtOfficeRole	java.lang.String	0	€
□ Q	email	java.lang.String	0	0
□ Q	firstname	java.lang.String	0	0
□ Q	loginDisabled	Java.Jang.String	0	0
. Q	_NAME_	java.lang.String	8	0
□ Q	object-id	java.lang.String	0	0
□ Q	osobaKrizovehoRizeni	java.lang.Boolean	0	0
□ Q	_PASSWORD_	eu.bcvsolutions.idm.core.security.api.domain.GuardedString	0	0
(Q	role	Java.Jang.String	0	€
. Q	roleCzechPoint	java.lang.String	0	€
□ Q	surname	java.lang.String	0	0
□ Q	titulPred	java.Jang.String	0	0
□ Q	titulZa	java.lang.String	0	0
□ Q	_UID_	java.lang.String	8	0
□ Q	username	java.lang.String	0	0
. Q	virtuosRole	java.lang.String	0	8

GROUP

Název atributu 🌣	Datový typ 💠	Je povinný 🌣	Obsahuje více hodnot $ \circ $
□ Q agenda	java.lang.String		0
□ Q code	java.lang.String	0	0
Q _NAME_	java.lang.String	8	0
□ Q platnostDo	java.lang.String	0	0
□ Q platnostOd	java.lang.String		0
□ Q roleType	java.lang.String		0
□ Q text	java.lang.String		0

Managed user attributes

- titulyPred - firstname - surname - password - email - titulyZa - object-id - loginDisabled

Managed role types

- Přístup do Agend - Přístup do Czech POINT@office - Přístup do Virtuos - Přístup do informačních systémů - Agendové činnostní role

https://wiki.czechidm.com/ Printed on 2024/03/30 09:47

2024/03/30 09:47 3/3 JIP/KAAS Connector

Provisioning

For objectClass GROUPS provisioning is not supported because the API doesn't support it.

For objectClass ACCOUNT, the connector is supporting these operations: CREATE, UPDATE. Other operation are not supported in the API.



Change of first name and last name is possible only if the process of identification(ztotožnění in Czech) was not completed

Synchronization

For ACCOUNT and GROUPS you need to use Reconciliation, normal synchronization is not supported in current version.

Supported operations

Object	Operations		
__ACCOUNT__	CREATE, UPDATE, READ		
\ \ GROUP\ \	READ		

From:

https://wiki.czechidm.com/ - CzechIdM Identity Manager

Permanent link:

https://wiki.czechidm.com/devel/documentation/systems/dev/jip_kaas_connector

Last update: 2019/01/09 14:01

