

Server preparation - Linux - CentOS8

<https://wiki.czechidm.com/>

2020/09/26 01:37

Table of Contents

Server preparation - Linux	1
Basic system setup	1
Installation and software configuration	1
PostgreSQL	2
Database server installation - CentOS7	2
Database server installation - Debian Stretch	3
DB server configuration	4
Java - CentOS7	5
Java - Debian	5
Tomcat	5
Start Tomcat automatically after system startup	6
Apache Tomcat configuration	8
Interface Management	8
Apache Tomcat configuration recommended for production usage	9
Rotating Tomcat logs	10
Apache httpd as a reverse proxy	11
HTTPd installation and configuration	11
mod_security configuration	13
Disabling mod_security rules	14
mod_security configuration - CentOS7	15
mod_security configuration - Debian	15
mod_deflate configuration	16
Workaround for slow HTTPD shutdown	16
SSO	17
nginx as reverse proxy	17

Server preparation - Linux

This tutorial shows how to prepare the server for test or production usage of CzechIdM. If you are looking for much quicker way of how to start the CzechIdM, use the demo setup described here [Getting Started](#)

Basic system setup

- 1 server (can be virtualized) for all: backend, frontend and database.
- OS Linux with EPEL repository enabled - CENTOS, basic network enabled installation
 - It is possible to use Debian but you have to adjust the installation guide a little. We tested CzechIdM installation on Stretch.
- PostgreSQL - installed from a new repository
- Java - distribution repository (OpenJDK 1.8)
- Apache Tomcat - manually installed into /opt/tomcat
- Services start via systemd in OS
- Services run under dedicated user (non-privileged one)

Instalation and software configuration

Prerequisites - Basic installation of CentOS 7

```
# EPEL installation
yum clean all
yum install -y epel-release
yum update -y
# other recommended packages installation
yum install -y net-tools nano wget mc vim-enhanced screen sysstat bzip2
ssmtp bash-completion lsof haveged nmap zip unzip psmisc telnet
policycoreutils-python
# enable haveged after OS start
systemctl start haveged.service
systemctl enable haveged.service
# remove unnecessary software
yum remove -y postfix
systemctl stop avahi-daemon.socket avahi-daemon.service
systemctl disable avahi-daemon.socket avahi-daemon.service
yum remove -y avahi-autoipd avahi
# set the hostname
hostnamectl set-hostname FQDN_server_name
hostnamectl status
# check the network configuration, be sure it is static
(/etc/sysconfig/network-scripts/)
# reboot the server
```

When installing on Debian, install these packages:

```
screen dnstools sysstat lsof haveged nmap tcpdump traceroute tcptraceroute  
curl iptables-persistent
```

PostgreSQL

If you are install CzechIdM on Sql server, please follow [this tutorial](#).

CentOS7 default repository version of PostgreSQL is 9.2. In our tutorial, we will install newer version 9.6. Moreover, we install database data into /data not /var/lib which is the default option.

Database server installation - CentOS7

- Software installation (versions can vary):

```
yum install -y  
https://download.postgresql.org/pub/repos/yum/9.6/redhat/rhel-7-x86_64/pgdg-  
centos96-9.6-3.noarch.rpm  
yum install -y postgresql96-server postgresql96-contrib pgstat2_96 pg_top96  
postgresql96-libs
```

- create new system directory:

```
mkdir -p /data/pgsql/9.6/data/  
chown -R postgres:postgres /data/pgsql/  
chmod 700 /data/pgsql
```

- Copy of the configuration file for systemd, in which we will make change of directory for data:

```
cp /usr/lib/systemd/system/postgresql-9.6.service /etc/systemd/system/
```

In the file /etc/systemd/system/postgresql-9.6.service change the directory for data as follows:

```
# Location of database directory  
Environment=PGDATA=/data/pgsql/9.6/data/
```

- In the file ~postgres/.bash_profile change the variable PGDATA value to:

```
PGDATA=/data/pgsql/9.6/data
```

- Reload changes:

```
systemctl daemon-reload
```

- Initialize database:

```
/usr/pgsql-9.6/bin/postgresql96-setup initdb
```

- Enable and start database:

```
systemctl start postgresql-9.6.service
```

```
systemctl enable postgresql-9.6.service
```

- Check that the database is running:

```
[root@tomcat1 system]# systemctl status postgresql-9.6.service -l
● postgresql-9.6.service - PostgreSQL 9.6 database server
   Loaded: loaded (/etc/systemd/system/postgresql-9.6.service; enabled;
 vendor preset: disabled)
   Active: active (running) since Pá 2016-11-18 23:50:06 CET; 2min 57s ago
 Main PID: 2626 (postmaster)
   CGroup: /system.slice/postgresql-9.6.service
           └─2626 /usr/pgsql-9.6/bin/postmaster -D /data/pgsql/9.6/data/
             └─2628 postgres: logger process
               └─2630 postgres: checkpoint process
                 └─2631 postgres: writer process
                   └─2632 postgres: wal writer process
                     └─2633 postgres: autovacuum launcher process
                       └─2634 postgres: stats collector process

lis 18 23:50:06 tomcat1.localdomain systemd[1]: Starting PostgreSQL 9.6
database server...
lis 18 23:50:06 tomcat1.localdomain postmaster[2626]: < 2016-11-18
23:50:06.608 CET > LOG: redirecting log output to logging collector process
lis 18 23:50:06 tomcat1.localdomain postmaster[2626]: < 2016-11-18
23:50:06.608 CET > HINT: Future log output will appear in directory
"pg_log".
lis 18 23:50:06 tomcat1.localdomain systemd[1]: Started PostgreSQL 9.6
database server.
```

Database server installation - Debian Stretch

Install the database from OS packages:

```
apt-get install postgresql-9.6
```

We will move the database - create directory structure:

```
mkdir -p /data/pgsql/9.6/data/
chown -R postgres:postgres /data/pgsql/
chmod -R 700 /data/pgsql
```

Create the file `.bash_profile` in postgres user's home (default `/var/lib/postgresql`) with following contents:

```
PGDATA=/data/pgsql/9.6/data
```

Stop the database:

```
systemctl stop postgresql
```

Move database directory (run this as root):

```
mv /var/lib/postgresql/9.6/main/* /data/pgsql/9.6/data/
```

In the PostgreSQL configuration file `/etc/postgresql/9.6/main/postgresql.conf` set the `data_directory` property to:

```
data_directory = '/data/pgsql/9.6/data'
```

Enable and start the database:

```
systemctl start postgresql
systemctl enable postgresql
```

DB server configuration

First of all, enable the password authentication.

In the file `/data/pgsql/9.6/data/pg_hba.conf` find lines:

```
host    all             all             127.0.0.1/32      ident
host    all             all             ::1/128           ident
```

and change the value at the end of each line into `md5` like this:

```
host    all             all             127.0.0.1/32      md5
host    all             all             ::1/128           md5
```

Now we can do DB sizing. We presume the system has 3GB dedicated for the db. We can also log the queries logging (those over 200ms). **For particular sizing, use a calculator.** In a file `/data/pgsql/9.6/data/postgresql.conf` edit (add those if not exist) lines:

```
max_connections = 100          # (change requires restart)

shared_buffers = 768MB        # min 128kB
effective_cache_size = 2304MB
work_mem = 7864kB
maintenance_work_mem = 192MB

min_wal_size = 1GB
max_wal_size = 2GB
checkpoint_completion_target = 0.7
wal_buffers = 16MB

default_statistics_target = 100

log_min_duration_statement = 200
```

Restart DB: `systemctl restart postgresql-9.6.service`

For Debian installation, edit those configuration files instead:

```
/etc/postgresql/9.6/main/pg_hba.conf  
/etc/postgresql/9.6/main/postgresql.conf
```

If you install the database to a different server than the CzechIdM application itself (Tomcat etc.), don't forget to configure PostgreSQL to allow remote SSL connection from that server.

Java - CentOS7

Java must be installed before Tomcat start. It is recommended to use OpenJDK (at least 1.8) from standard OS repository.

Installation:

```
yum install -y java-1.8.0-openjdk-headless java-1.8.0-openjdk-devel
```

Then create the file `/etc/profile.d/java.sh` with following:

[java.sh](#)

```
[ -d /usr/lib/jvm/java-openjdk ] && export JAVA_HOME=/usr/lib/jvm/java-openjdk
```

Java - Debian

Java must be installed before Tomcat start. It is recommended to use OpenJDK (at least 1.8) from standard OS repository.

Installation:

```
apt-get install openjdk-8-jdk-headless openjdk-8-jre-headless
```

Then create the file `/etc/profile.d/java.sh` with following:

[java.sh](#)

```
[ -d /usr/lib/jvm/java-1.8.0-openjdk-amd64 ] && export  
JAVA_HOME=/usr/lib/jvm/java-1.8.0-openjdk-amd64
```

Tomcat

- Create a new group and add user for the tomcat to run under (for Debian, use `/usr/sbin/nologin` in the `useradd`):

```
groupadd -r tomcat
useradd -r -s /bin/nologin -g tomcat -d /opt/tomcat tomcat
getent passwd tomcat
tomcat:x:995:993::/opt/tomcat:/bin/nologin
```

- change working directory into /opt/tomcat

```
mkdir /opt/tomcat
cd /opt/tomcat
```

- Download Apache Tomcat 8.5.x from the website <https://tomcat.apache.org/download-80.cgi> to **/opt/tomcat/**
 - In our example the version is 8.5.8.
- extract files from archive:

```
tar xzf apache-tomcat-8.5.8.tar.gz
```

- create a new symbolic link to current user version (we presume there may be more versions at the server in future due to upgrades/updates)

```
cd /opt/tomcat
ln -s apache-tomcat-8.5.8 current
```

- Set rights on files for tomcat user (still working under root):

```
chown -R root:root /opt/tomcat
chown root:tomcat /opt/tomcat
chmod 750 /opt/tomcat
cd /opt/tomcat/current
chmod o+rX -R ./
chgrp -R tomcat conf/ bin/ lib/
chmod g+rx conf
chmod g+r conf/*
chown -R tomcat webapps/ work/ temp/ logs/
```

Start Tomcat automatically after system startup

- Create startup script (systemd unit), in which we also set the basic JVM parameters:

```
vim /etc/systemd/system/tomcat.service
```

- File content of /etc/systemd/system/tomcat.service:

tomcat.service

```
# Systemd unit file for tomcat
[Unit]
Description=Apache Tomcat Web Application Container
After=syslog.target network.target

[Service]
```

```
Type=forking

PIDFile=/opt/tomcat/current/temp/tomcat.pid

Environment=JAVA_HOME=/usr/lib/jvm/java-openjdk
Environment=CATALINA_PID=/opt/tomcat/current/temp/tomcat.pid
Environment=CATALINA_HOME=/opt/tomcat/current
Environment=CATALINA_BASE=/opt/tomcat/current
Environment='CATALINA_OPTS=-Xms512M -Xmx1024M -server -
XX:+UseParallelGC'
Environment='JAVA_OPTS=-Djava.awt.headless=true -
Djava.security.egd=file:/dev/./urandom -
Dorg.apache.tomcat.util.buf.UDecoder.ALLOW_ENCODED_SLASH=true -
Djavax.servlet.request.encoding=UTF-8'

ExecStart=/opt/tomcat/current/bin/startup.sh
ExecStop=/opt/tomcat/current/bin/shutdown.sh

User=tomcat
Group=tomcat

[Install]
WantedBy=multi-user.target
```

- Values of Xms a Xmx se are closely dependent on server sizing. If you have enough memory it is strongly advised to use Xmx 6128M or more.
- Tomcat will be started under user tomcat:tomcat a will use java installed in /usr/lib/jvm/java-1.8.0-openjdk.
- For Debian, change the JAVA_HOME to JAVA_HOME=/usr/lib/jvm/java-1.8.0-openjdk-amd64.
- After every systemd configuration change it is necessary to reload:

```
systemctl daemon-reload
```

- Test start:

```
systemctl start tomcat
```

- Check that Tomcat runs with desirable parameters:

```
[root@tomcat1 logs]# ps -u tomcat -fwww
UID          PID  PPID  C  STIME TTY          TIME CMD
tomcat      1602    1   1  09:44 ?           00:00:02 /usr/lib/jvm/java-
openjdk/bin/java -
Djava.util.logging.config.file=/opt/tomcat/current/conf/logging.properties -
Djava.util.logging.manager=org.apache.juli.ClassLoaderLogManager -
Djava.awt.headless=true -Djava.security.egd=file://dev/./urandom -
Dorg.apache.tomcat.util.buf.UDecoder.ALLOW_ENCODED_SLASH=true -
Djavax.servlet.request.encoding=UTF-8 -Djdk.tls.ephemeralDHKeySize=2048 -
Djava.protocol.handler.pkgs=org.apache.catalina.webresources -Xms512M -
Xmx1024M -server -XX:+UseParallelGC -classpath
```

```
/opt/tomcat/current/bin/bootstrap.jar:/opt/tomcat/current/bin/tomcat-juli.jar -Dcatalina.base=/opt/tomcat/current -Dcatalina.home=/opt/tomcat/current -Djava.io.tmpdir=/opt/tomcat/current/temp org.apache.catalina.startup.Bootstrap start
```

- Stop Apache Tomcat:

```
systemctl stop tomcat
```

- Enable tomcat start after OS start:

```
systemctl enable tomcat
```

Apache Tomcat configuration

Interface Management

Apache Tomcat offers two applications for tomcat management available at:

- <http://localhost:8080/manager>
- <http://localhost:8080/host-manager>

If you want to use them, it is necessary to do following steps.

First of all, create a database user that you will use for the access to those applications. If you plan to connect to the applications remotely (not only from localhost) you have to also allow communication from your IP.

Create user like this:

Create the a new user in the file `/opt/tomcat/current/conf/tomcat-users.xml` and assign him roles "manager-gui" and "admin-gui". The documentation of available roles as well as overall configuration of the application is a part of application installation available at http://localhost:8080/docs/manager-howto.html#Configuring_Manager_Application_Access

The file `/opt/tomcat/current/conf/tomcat-users.xml` looks like this:

`tomcat-users.xml`

```
<?xml version="1.0" encoding="UTF-8"?>
<tomcat-users xmlns="http://tomcat.apache.org/xml"
              xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
              xsi:schemaLocation="http://tomcat.apache.org/xml tomcat-users.xsd"
              version="1.0">
  <role rolename="manager-script"/>
  <role rolename="manager-gui"/>
  <role rolename="manager-jmx"/>
  <role rolename="manager-status"/>
  <role rolename="admin-gui"/>
```

```
<user username="admin" password="*****store it somewhere safe*****"
roles="manager-gui,manager-status,admin-gui"/>
</tomcat-users>
```

If you plan to connect to the applications remotely (not only from localhost) you have to also allow communication from your IP. If you see 403 Access Denied it might be you did not do this setting.

Add your IP address into application configuration files. In files `/opt/tomcat/current/webapps/manager/META-INF/context.xml` and `/opt/tomcat/current/webapps/host-manager/META-INF/context.xml` add net mask for your IP (both files should have the same content):

In my case, I want to access to Tomcat management from network 192.168.0.0/24:

`context.xml`

```
<?xml version="1.0" encoding="UTF-8"?>
<Context antiResourceLocking="false" privileged="true" >
  <Valve className="org.apache.catalina.valves.RemoteAddrValve"
allow="127\.\d+\.\d+\.\d+|::1|0:0:0:0:0:0:0:1|192\.\d+\.\d+" />
</Context>
```

Again, restart the tomcat:

```
systemctl restart tomcat
```

Apache Tomcat configuration recommended for production usage

It is advised to follow these steps for production usage:

- Remove unnecessary applications that comes with Tomcat:

```
rm -rf /opt/tomcat/current/webapps/{examples,docs,ROOT,host-manager,manager}
```

- Turn off the shutdown port:
 - In the config file `/opt/tomcat/current/conf/server.xml` set value -1 from 8005 to the Server port tag, thus you deactivate it:

```
<Server port="-1" shutdown="SHUTDOWN">
```

- Make Tomcat listen only on localhost:
 - In the `/opt/tomcat/current/conf/server.xml` add the `address="127.0.0.1"` property to configuration of 8009 and 8080 ports.
- Do not show application server version:
 - In the file `/opt/tomcat/current/conf/web.xml` set `showServerInfo` to false (default is true):

```
<servlet>
```

```
<servlet-name>default</servlet-name>
<servlet-class>org.apache.catalina.servlets.DefaultServlet</servlet-
class>
<init-param>
  <param-name>debug</param-name>
  <param-value>0</param-value>
</init-param>
<init-param>
  <param-name>listings</param-name>
  <param-value>>false</param-value>
</init-param>
<init-param>
  <param-name>showServerInfo</param-name>
  <param-value>>false</param-value>
</init-param>
<load-on-startup>1</load-on-startup>
</servlet>
```

Rotating Tomcat logs

Default Tomcat logger appends to the logfile, it is therefore safe to use simple logrotate configuration. Save following as /etc/logrotate.d/tomcat, adjust log retention (the rotate COUNT) as necessary.

tomcat

```
/opt/tomcat/current/logs/catalina.out {
  rotate COUNT
  daily
  dateext
  copytruncate
  missingok
  notifempty
  compress
}
```

It is possible that, on some distros, SELinux will deny access to the logfile for logrotate because logrotate_t is only allowed in the /var/log and subfolders. The logrotate will error to the /var/log/messages line similar to Sep 3 03:48:01 server.tld logrotate: ALERT exited abnormally with [1].

If this happens, set the permissive mode for logrotate:

```
semanage permissive -a logrotate_t
```

Evaluate impact of SELinux adjustments **before** you implement them. Proper mitigation heavily depends on habits and security policies of your organization.

There are some possibilities:

- Set permissive mode for logrotate as above.
- Set permissive mode for whole SELinux. (This will drop the SELinux's protective function.)
- Adjust particular SELinux labels. Example ([here](#)).

Please note that on Debian, the log is not rotate during the first day, but after the second day.

Apache httpd as a reverse proxy

It is possible to open Apache Tomcat to the network directly, but little inconvenient. You want the users to access the CzechIdM on user-friendly ports 80/tcp or 443/tcp, which is not easy to setup in Tomcat itself running under nonprivileged user. So we use Apache httpd as a reverse proxy. Apache httpd will allow access to data via https on port 443/tcp and http on port 80/tcp. Communication via http protocol will be enabled, but we will redirect all communication to https. Communication between Apache httpd and Tomcat will take place on local machine via AJP protocol. In httpd, there will be mod_security installed (optional but recommended), which serves as an application firewall.

The configuration example is written for the server which allows access to its services under the name "demo.czechidm.com".

HTTPd installation and configuration

Install httpd and mod_security:

```
yum install -y httpd httpd-tools mod_ssl mod_security mod_security_crs
```

On Debian install those packages and allow modules:

```
apt-get install apache2 libapache2-mod-security2 modsecurity-crs
a2enmod ssl
a2enmod proxy
a2enmod proxy_ajp
a2enmod proxy_http
a2enmod security2
a2enmod rewrite
a2enmod headers
```

HTTPd basic configuration:

Change MPM to worker (lower system requirements) - in the file /etc/httpd/conf.modules.d/00-mpm.conf comment the lines with mod_mpm_prefork.so and uncomment mod_mpm_worker.so:

```
# Select the MPM module which should be used by uncommenting exactly
# one of the following LoadModule lines:

# prefork MPM: Implements a non-threaded, pre-forking web server
```

```
# See: http://httpd.apache.org/docs/2.4/mod/prefork.html
#LoadModule mpm_prefork_module modules/mod_mpm_prefork.so

# worker MPM: Multi-Processing Module implementing a hybrid
# multi-threaded multi-process web server
# See: http://httpd.apache.org/docs/2.4/mod/worker.html
#
LoadModule mpm_worker_module modules/mod_mpm_worker.so

# event MPM: A variant of the worker MPM with the goal of consuming
# threads only for connections with active processing
# See: http://httpd.apache.org/docs/2.4/mod/event.html
#
#LoadModule mpm_event_module modules/mod_mpm_event.so
```

Disable "welcome" page:

```
cd /etc/httpd/conf.d
mv welcome.conf welcome.conf-DISABLED
touch welcome.conf
```

Virtualhost configuration to forward the communication from port 80 to 443. Add following section and change string 'server' to the real servername in the file /etc/httpd/conf.d/vhost-redirect.conf (or /etc/apache2/sites-available/vhost-redirect.conf for Debian):

```
<VirtualHost _default_:80>
    DocumentRoot /var/www/html
    Redirect permanent / https://server
</VirtualHost>
```

Set the proxy in the virtualhost for https (443/tcp) - at the end of the file /etc/httpd/conf.d/ssl.conf (or /etc/apache2/sites-available/ssl.conf for Debian) add following before ending "tag" VirtualHost:

```
ProxyRequests      off
ProxyPreserveHost  on
ProxyAddHeaders    on
ProxyPass / ajp://127.0.0.1:8009/
ProxyPassReverse / ajp://127.0.0.1:8009/
```

In IE 11, CzechIdM has problems with missing icons. Icons are created by special fonts and those fonts are handled badly in the IE. It is necessary to set Cache-Control HTTP header. We need to set it only for font files:

```
# workaround for bad font handling in IE 11
<LocationMatch "/idm/.*(\.ttf|\.woff2|\.eot)$">
    Header set Cache-Control "no-cache, public, must-revalidate, proxy-revalidate"
</LocationMatch>
```


Identity manager CzechIdM will be available on address <https://server/idm/> It is possible to forward from / to /idm/, so that the user does not need to type the whole URL. To do so, add following lines to the virtualhost config file (ssl.conf):

```
RewriteEngine On
RewriteRule "^/$" "/idm/" [R]
```

We also have to secure the communication. **Edit** corresponding lines in `ssl.conf` so they look like this.

```
SSLProtocol all -SSLv2 -SSLv3 -TLSv1 -TLSv1.1
SSLCipherSuite
ALL:!ADH:!EXPORT:!SSLv2:RC4+RSA:+HIGH:+MEDIUM:!LOW:!RC4:!3DES+SHA:!IDEA
SSLHonorCipherOrder on
```

In some cases older clients (i.e. IE10 and older, Java6, etc.) will not be able to communicate with IdM. If this is your case, you may need to slacken the cipher settings a bit.

On Debian, create symlinks to sites-enabled:

```
cd /etc/apache2/sites-enabled
ln -s ../sites-available/vhost-redirect.conf 01vhost-redirect.conf
ln -s ../sites-available/ssl.conf 02ssl.conf
```

Syntax check before httpd restart:

```
httpd -t -D DUMP_VHOST
```

httpd restart and reload configuration changes:

```
systemctl restart httpd
```

Enable httpd after OS start:

```
systemctl enable httpd.service
```

mod_security configuration

Mod_security files locations (on CentOS7):

- Audit log: `/var/log/httpd/modsec_audit.log`
- Directory with activated rules: `/etc/httpd/modsecurity.d/activated_rules/`
- basic configuration file for mod_security:
`/etc/httpd/modsecurity.d/modsecurity_crs_10_config.conf`
- The file for chosen rules deactivation: `/etc/httpd/conf.d/ssl.conf`

The default set of rules is relatively strict. CzechIdM cannot run with the default configuration of `mod_security`.

Each rule is identified by a unique ID. If you want to deactivate the whole rule, it is advised to write the rule ID into `ssl.conf` like this:

```
<IfModule mod_security2.c>
  SecRuleRemoveById RULE_ID
</IfModule>
```

Disabling `mod_security` rules

In the file `/etc/httpd/conf.d/ssl.conf` (or `/etc/apache2/sites-available/ssl.conf` for Debian) deactivate following rules and set their logging:

```
<IfModule mod_security2.c>
  SecRuleRemoveById 981173
  SecRuleRemoveById 960015
  SecRuleRemoveById 950109

  # Allow Czech signs
  SecRuleRemoveById 981318
  SecRuleRemoveById 981242
  SecRuleRemoveById 960024
  SecRuleRemoveById 981245

  # Too restrictive for login format
  SecRuleRemoveById 960035

  # Needed by Websockets
  <Location "/idm/api/v1/websocket-info/">
    SecRuleRemoveById 970901
  </Location>

  # These break Certificate Authority module
  <Location "/idm/api/v1/crt/certificates/action/validate">
    SecRuleRemoveById 960915
    SecRuleRemoveById 200003
  </Location>

  # Modsec can throw false positives on some files due to multipart
  boundary check
  <Location "/idm/api/v1/attachments/upload">
    SecRuleRemoveById 960915
    SecRuleRemoveById 200003
  </Location>

  # do not log request/response body
  SecAuditLogParts ABFHZ
</IfModule>
```

mod_security configuration - CentOS7

In the file `/etc/httpd/modsecurity.d/modsecurity_crs_10_config.conf`, find the rule with `id=900012` and add support for `content_type=application/json`, `application/hal+json` and `text/plain` on the line starting with `tx.allowed_request_content_type`, then allow `PUT DELETE` and `PATCH` methods on the line with `tx.allowed_methods`. Whole rule after the changes looks like this:

```
SecAction \  
  "id:'900012', \  
  phase:1, \  
  t:none, \  
  setvar:'tx.allowed_methods=GET HEAD POST OPTIONS PUT PATCH DELETE', \  
  setvar:'tx.allowed_request_content_type=application/hal+json|application/json|text/plain|application/x-www-form-urlencoded|multipart/form-data|text/xml|application/xml|application/x-amf', \  
  setvar:'tx.allowed_http_versions=HTTP/0.9 HTTP/1.0 HTTP/1.1', \  
  setvar:'tx.restricted_extensions=.asa/ .asax/ .ascx/ .axd/ .backup/ .bak/ .bat/ .cdx/ .cer/ .cfg/ .cmd/ .com/ .config/ .conf/ .cs/ .csproj/ .csr/ .dat/ .db/ .dbf/ .dll/ .dos/ .htr/ .htw/ .ida/ .idc/ .idq/ .inc/ .ini/ .key/ .licx/ .lnk/ .log/ .mdb/ .old/ .pass/ .pdb/ .pol/ .printer/ .pwd/ .resources/ .resx/ .sql/ .sys/ .vb/ .vbs/ .vbproj/ .vsdisco/ .webinfo/ .xsd/ .xsx/', \  
  setvar:'tx.restricted_headers=/Proxy-Connection/ /Lock-Token/ /Content-Range/ /Translate/ /via/ /if/', \  
  nolog, \  
  pass"
```

mod_security configuration - Debian

Enable `mod_security` configuration:

```
cd /etc/modsecurity  
cp modsecurity.conf-recommended modsecurity.conf
```

Uncomment following rules in the `/etc/modsecurity/crs/crs-setup.conf` and change them accordingly (add allowed content types and allowed HTTP methods):

```
SecAction \  
  "id:900200,\ \  
  phase:1,\ \  
  nolog,\ \  
  pass,\ \  
  t:none,\ \  
  setvar:'tx.allowed_methods=GET HEAD POST OPTIONS PUT PATCH DELETE'"  
  
SecAction \  
  "id:900220,\ \  
  phase:1,\ \  
  nolog,\
```

```
pass,\
t:none,\
setvar:'tx.allowed_request_content_type=application/x-www-form-
urlencoded|multipart/form-data|text/xml|application/xml|application/x-
amf|application/json|text/plain|application/hal+json' "
```

mod_deflate configuration

It is advised to set up gzip so the users get minimum of data from the frontend server. In the file `/etc/httpd/conf.d/ssl.conf` we add following configuration and restart the server:

```
<IfModule mod_deflate.c>
# Compress HTML, CSS, JavaScript, Text, XML and fonts
AddOutputFilterByType DEFLATE application/javascript
AddOutputFilterByType DEFLATE application/rss+xml
AddOutputFilterByType DEFLATE application/vnd.ms-fontobject
AddOutputFilterByType DEFLATE application/x-font
AddOutputFilterByType DEFLATE application/x-font-opentype
AddOutputFilterByType DEFLATE application/x-font-otf
AddOutputFilterByType DEFLATE application/x-font-truetype
AddOutputFilterByType DEFLATE application/x-font-ttf
AddOutputFilterByType DEFLATE application/x-javascript
AddOutputFilterByType DEFLATE application/xhtml+xml
AddOutputFilterByType DEFLATE application/xml
AddOutputFilterByType DEFLATE font/opentype
AddOutputFilterByType DEFLATE font/otf
AddOutputFilterByType DEFLATE font/ttf
AddOutputFilterByType DEFLATE image/svg+xml
AddOutputFilterByType DEFLATE image/x-icon
AddOutputFilterByType DEFLATE text/css
AddOutputFilterByType DEFLATE text/html
AddOutputFilterByType DEFLATE text/javascript
AddOutputFilterByType DEFLATE text/plain
AddOutputFilterByType DEFLATE text/xml
AddOutputFilterByType DEFLATE application/json
AddOutputFilterByType DEFLATE application/hal+json

# Remove browser bugs (only needed for really old browsers)
BrowserMatch ^Mozilla/4 gzip-only-text/html
BrowserMatch ^Mozilla/4\.[0-678] no-gzip
BrowserMatch \bMSIE !no-gzip !gzip-only-text/html
Header append Vary User-Agent
</IfModule>
```

Workaround for slow HTTPD shutdown

In some RHEL/CentOS versions Apache HTTPD shutdown or restarts itself very slowly. It is caused by

https://bugzilla.redhat.com/show_bug.cgi?id=906321. Workaround is to edit '/usr/lib/systemd/system/httpd.service' and add the option:

```
KillMode=none
```

Then reload systemd:

```
systemctl daemon-reload
```

It is absolutely correct to create new versions of unity in /etc, that has the option:

```
cp /usr/lib/systemd/system/httpd.service /etc/systemd/system/httpd.service
vim /etc/systemd/system/httpd.service # add parametr KillMode=none
systemctl daemon-reload
```

The patch of httpd should come soon so the first option is OK too.

SSO

If you want to enable SSO to CzechIdM, additional configuration must be done with mod_auth_kerb. See [SSO installation guide](#) for more details.

nginx as reverse proxy

In case that you want to use nginx instead of Apache httpd, the configuration is as follows.

```
server {
    listen    *:443 ssl http2;
    server_name  idm.domain.tld;
    client_max_body_size 1G;
    ssl on;
    ssl_certificate      /path/to/fullchain.pem;
    ssl_certificate_key  /path/to/privkey.pem;
    gzip on;
    gzip_proxied any;
    gzip_types
        text/css
        text/javascript
        text/xml
        text/plain
        application/javascript
        application/x-javascript
        application/json;

    location / {
        proxy_hide_header X-Frame-Options;
    }
}
```

```
add_header X-Frame-Options SAMEORIGIN;
proxy_pass http://localhost:8080/;
proxy_set_header Host $host;
proxy_set_header X-Real-IP $remote_addr;
proxy_set_header X-Forwarded-For $proxy_add_x_forwarded_for;
proxy_set_header X-Forwarded-Proto "https";
proxy_ssl_session_reuse off;
proxy_redirect off;

# WebSocket support
proxy_http_version 1.1;
    proxy_set_header Upgrade $http_upgrade;
    proxy_set_header Connection "upgrade";
}
}
```

From:
<https://wiki.czechidm.com/> - **CzechIdM Identity Manager**

Permanent link:
https://wiki.czechidm.com/tutorial/adm/server_preparation?rev=1578922370

Last update: **2020/01/13 13:32**

